



KONICA MINOLTA

The essentials of imaging



bizhub PRO C6000 and bizhub PRO C7000

Fast colour with superior quality

Production systems bizhub PRO C6000 and bizhub PRO C7000

bizhub PRO C6000 and bizhub PRO C7000, production systems



Smarter colour power all-round

With the bizhub PRO C6000 and bizhub PRO C7000, Konica Minolta presents two NEW versions of an innovative, high-speed colour digital system that takes image quality and consistency to new heights. Its amazing imaging capabilities in combination with a sturdy construction, professional feature set and attractive affordability make this the ideal entry-level production print solution for CRDs, print providers, high-volume offices and professionals in advertising agencies.

■ In colour as well as in black & white, the bizhub PRO C6000/C7000 delivers fast 60 resp. 71 prints per minute. Featuring Konica Minolta's advanced colour processing technology, these digital colour presses were designed specifically to answer the essential requirements of CRDs, print providers and high-volume Office with regard to quality, reliability, ease of use and economy. These merits as well as the creative possibilities of both systems are just as appreciated by advertising agencies and the graphic arts and design industry.

■ Both systems combine extensive media flexibility with a versatile range of in-line finishing capabilities, making light work of the production of the most diverse materials. Their sturdy, metal construction ensures absolute dependability while their compact design facilitates integration in locations where space is limited.

The bizhub PRO C6000/C7000 offers a lot more than just high-speed colour printing. Reaping the benefits of superior quality in combination with absolute reliability, print providers simply won't go wrong choosing either one of Konica Minolta's dependable digital colour presses.

bizhub PRO C6000 

bizhub PRO C7000 



Quality and colour at your fingertips

With a definite focus on faster colour output and superior quality, Konica Minolta integrated advanced technology into the bizhub PRO C6000/C7000, promising to not just keep things running but taking reliability to encompass an exceptional image quality as well as highest productivity.

➔ Compact and reliable

Reliability is a fundamental issue for print providers, CRDs and advertising professionals alike. When deadlines are tight and production times are squeezed, the faultless performance of all equipment is essential, no matter whether small or large print runs are required urgently, or an impatient customer instantly requires sample quantities of a newly designed layout. The bizhub PRO will not let you down.





As an attractive asset, the bizhub PRO C6000 and PRO C7000 are amazingly compact for devices in their class. To many their remarkably small footprint will be a decisive advantage, especially if either colour device is to be installed in a crowded print room or an advertising agency where space is at a premium. Nevertheless their sturdy and robust construction always ensures a continuous and absolutely dependable performance.

➔ Powerful choice of controllers

Konica Minolta's own controller development IC-601 offers affordable colour management and job processing as well as extensive integration into Konica Minolta's own applications. A highlight of this controller is its complete implementation into the bizhub PRO C6000/C7000 with full panel integration of the controller operation.

Additionally, two external controller alternatives are perfect choices for any professional environment. With latest Fiery technology, the external Fiery controller (IC-306) enhances the comprehensive bizhub PRO C6000/C7000 functionality, providing an intuitive and user-friendly interface between operator and printer.

The optional external IC-307 Creo controller turns the bizhub PRO C6000 and PRO C7000 into a robust workflow solution for the graphic arts market and the professional high-end environment





Colour processing technologies



The bizhub PRO C6000/C7000 features the latest in Konica Minolta's very own, advanced colour processing technology. Innovations like S.E.A.D. II, ITbit technology, CRS, Simitri® HD polymerised toner and Konica Minolta's "air-assist" paper feeding technology provide an unbeatable combination of outstanding quality and smooth processing, ensuring perfect results and excellent reliability.

➔ S.E.A.D. II

Developed by Konica Minolta, S.E.A.D. II stands for "Screen-Enhancing Active Digital Process" and combines an array of technical innovations to guarantee truly exceptional colour reproduction at top speed. S.E.A.D. II represents the second generation of Konica Minolta's advanced colour processing technology and includes the following important capabilities:

■ 1,200 x 1,200 dpi x 8 bit print resolution


The impressive print resolution on the bizhub PRO C6000/C7000 reproduces fine characters and thin lines to perfection. In combination with proprietary Simitri HD toner, this results in clear and sharp output

■ FM screen technology


Also thanks to the excellent resolution of 1,200dpi, the bizhub PRO C6000/C7000 provides additional screens for higher quality prints, enabling smoother and more realistic image reproductions that are a perfect match to print data. The newly adopted Frequency Modulated (FM) screen technology ensures smooth moiré and jagged-free images.

■ ITbit technology


Always striving to achieve the very best results for any type of image or text, Konica Minolta now applies its propriety Image Tag bit (ITbit) technology in the new range of presses. This unique process improves the quality of text, helping to sharpen frayed edges in halftone printing. The benefits are obvious especially in outline, reversed or slim text.



Simitri® HD polymerised toner



Conventional toner



■ **Image stability**

A newly developed short interval stability control monitors image consistency on the bizhub PRO C6000/C7000 during continuous printing. Corrections are fully automatic and improve the stability of the image quality, while the whole process considerably enhances production efficiency. Automated colour management tools promise increased productivity: The bizhub PRO C6000/C7000 streamlines workflow with calibration that is completely hands-free, and allows operators to focus on more demanding jobs.

■ **Density control**

A newly developed gradation correction function meets the varied characteristics of different media by correcting the gradations according to the paper used. Key operators benefit from enhanced efficiency, as they no longer need to go through the time-consuming process of producing test patterns.

■ **Colour Retention and Stability (CRS)**

The exclusive CRS technology constantly monitors the status of the bizhub PRO C6000/C7000. Receiving continuous feedback about changes in the print environment and the engine, CRS immediately makes the necessary adjustments to always maintain highest print quality.



Simitri HD

High Definition Polymerised Toner

■ **Simitri® HD polymerised toner**

An essential requirement in Production printing, the bizhub PRO C6000/C7000 delivers superior colour image quality as well as impressive black density with its unique Simitri® HD polymerised toner. Simitri® HD also ensures an unparalleled colour imaging quality and with its fusing temperature supports a truly impressive range of media.

■ **Ultra-smooth paper processing**

The bizhub PRO C6000/C7000 feature fast and ultra-smooth paper processing: Where required, an optional heating unit can be fitted in to the paper input module, this dehumidifies and conditions the paper prior to printing. Konica Minolta's "air assist" paper feeding technology separates each sheet and feeds them individually. Also installed on this machine is a double feed detection sensor giving you the confidence that the paper will reach its final destination trouble free. Thanks to an innovative printing and developing process, fusing temperatures are low resulting in a considerable increase in media flexibility. Each individual print is cooled and de curled before output giving optimum results.



Professional performance


The bizhub PRO C6000/C7000 are comprehensively equipped to ensure top performance and productivity whilst minimising manual interventions. An array of features and functionalities increases user capabilities and facilitates the fast processing of jobs.

■ Ease of use is just one of the bizhub PRO C6000 and bizhub PRO C7000's many features. User convenience, fast and easy handling and no-nonsense operation were top development priorities for Konica Minolta's digital colour presses. User operation and programming for example are straightforward and intuitive via the large full-colour operator panel that provides clear and easy access to all functions.

■ Dependability is another important issue for professionals – and the bizhub PRO C6000 and bizhub PRO C7000 has been designed with reliability in mind. Beyond that Konica Minolta's remote diagnostics system CS Remote Care provides pro-active support once the bizhub PRO C6000 and bizhub PRO C7000 are installed in the field. With constant analysis of the system




performance CS Remote Care enables automated reporting and preventive maintenance, effectively ensuring maximum system uptime.




→ Impressive media flexibility

Paper processing in the bizhub PRO C6000/C7000 is fast and ultra-smooth. Thanks to Konica Minolta's "air-assist" paper feeding technology the media flexibility is extensive and covers a wide range of substrates, including up to 300 gsm paper, coated paper, card and digital offset stock. With up to 7,500 pages input capacity these systems easily handle long print runs. Advanced features like mixplex and mixmedia guarantee professional results.



Simitri
with Biomass



→ Eco-friendly technology

Konica Minolta is committed to protecting the environment and assesses the environmental impact of its products at each stage of the product lifecycle. From raw material and parts procurement to manufacture, transportation, sale, use, reuse, recycling and disposal. Also in the bizhub PRO C6000/C7000, advanced eco-technologies help minimize the ecological impact of these systems. Konica Minolta's proprietary polymerised toner Simitri® HD for example saves energy as it enables considerably lower fusing temperatures. And the production of Simitri® HD generates around 40% less in CO₂ emissions than toner produced by conventional pulverisation. At the same time, biomass is an important ingredient in Simitri® HD toner and answers the essential requirements of the modern, CO₂-conscious society.






Versatile finishing choices

Professional finishing of the printed product is an integral part of almost any job, and flexibility is key! A selection of finishing options is available to upgrade the capabilities of the bizhub PRO C6000 and PRO C7000. With these, Konica Minolta's digital colour presses accommodate customers' varied and individual requirements, and offers booklet creation, online punching and stapling as well as post insertion.

■ bizhub PRO C6000/C7000 (main unit)

Professional finishing starts right inside the bizhub PRO C6000/C7000 – a variety of advanced features ensures the production of sophisticated document formats. For example mixplex allows you to combine single- and double-sided pages within one document. Mixmedia lets the user specify individual paper types from various trays on page-level. The combined mixmedia and mixplex function automates the production of both double and single sided documents on different media.



■ Large capacity tray LU-202

Equipped with the large capacity cassette LU-202 can be loaded with up to 4,250 sheets of paper. Thanks to air-assist paper feeding as well as the optional dehumidifier, an extensive range of media can be processed.





■ **Paper feed unit (PF-602)**

Equipped with the large capacity paper feed unit the PF-602 can be loaded with up to 7,500 sheets of paper; and thanks to air-assist paper feeding as well as the optional dehumidifier, an extensive media variety can be processed.



■ **Relay unit RU-509**

The relay unit RU-509 cools down media for immediate finishing and is equipped with a zig-zag decurler for smooth and straight prints. By adding the optional humidification decurler the performance can be further enhanced.




■ **Staple finisher (FS-531)***

This entry level finisher is the ideal choice for the production of marketing collateral and corporate documents on the bizhub PRO C6000/C7000.





■ **Booklet finisher (FS-612)***

Upgrading the bizhub PRO C6000/C7000 with the booklet finisher will automate the production of booklets and brochures, providing a convenient and productive in-line half-fold and saddle-stitching functionality.



* optional post inserter (PI-502) and punch kit (PK-512/513) available, ** requires PK-512/513, *** requires PI-502



System configurations

The bizhub PRO C6000/C7000 offers modularity that provides a great choice of system configurations.

System 1

The system for corporate documents

- 60/71 full colour A4 pages per minute print performance
- Duplex as standard
- Highest image quality
- Up to 300 gsm (from bypass tray)
- Stapling of up to 50 sheets
- Auto-shift stacking
- Post insertion
- Output capacity up to 3,100 sheets
- Optional punching



System 2

The system for marketing collateral and direct mailing

- 60/71 full colour A4 pages per minute print performance
- Duplex as standard
- Highest image quality
- Up to 300 gsm (from bypass tray)
- Booklet making up to 20 sheets
- Stapling of up to 50 sheets
- Centre fold and Letter fold in
- Auto-shift stacking
- Post insertion
- Output capacity up to 2,600 sheets
- Optional punching



System 3

The system for corporate documents and marketing collateral

- 60/71 full colour A4 pages per minute print performance
- Duplex as standard
- Highest image quality
- 4,250 sheets paper input capacity
- Up to 300 gsm (from LU-202 or by pass tray)
- Stapling of up to 50 sheets
- Auto-shift stacking
- Output capacity up to 3,100 sheets
- Optional punching





System 4

The system for brochures

- 60/71 full colour A4 pages per minute print performance
- Duplex as standard
- Highest image quality
- 4,250 sheets paper input capacity
- Up to 300 gsm (from LU-202 or bypass tray)
- Booklet making up to 20 sheets
- Stapling of up to 50 sheets
- Centre fold and Letter fold in
- Auto-shift stacking
- Post insertion
- Output capacity up to 2,600 sheets
- Optional punching



System 5

The system for direct mailings and brochures


- 60/71 full colour A4 pages per minute print performance
- Duplex as standard
- Highest image quality
- 4,250 sheets paper input capacity
- Up to 300 gsm (from LU-202 or bypass tray)
- Stapling of up to 50 sheets
- Auto-shift stacking
- Post insertion
- Output capacity up to 3,100 sheets
- Optional punching



System 6

The system for corporate documents and brochures

- 60/71 full colour A4 pages per minute print performance
- Duplex as standard
- Highest image quality
- 7,500 sheets paper input capacity
- Up to 300 gsm (from PF-602)
- Booklet making up to 20 sheets
- Stapling of up to 50 sheets
- Centre-fold and Letter-fold in
- Auto-shift stacking
- Output capacity up to 2,600 sheets
- Optional punching





KONICA MINOLTA

Simitri HD
High Definition Polymerised Toner



Adobe® PostScript® 3™



Technical specifications

Printer specifications

Print speed A4
Up to 60 ppm (bizhub PRO C6000)
Up to 71 ppm (bizhub PRO C7000)

Print Speed A3
Up to 34 ppm (bizhub PRO C6000)
Up to 38 ppm (bizhub PRO C7000)

Print resolution
1,200 x 1,200 dpi x 8 bit
Max.: 1,200 x 3,600 dpi equivalent

Gradations
256 gradations

System specifications

Paper weight
64–256 gsm,
Up to 300 gsm

Duplex unit
Non-stack type, 64–300 gsm

Paper sizes
A5 - SRA3 : Max paper size 330 x 487 mm

Maximum image area
321 x 480 mm

Paper input capacity
Maximum: 7,500 sheets
Main unit: up to 1,500 sheets
LU-202: up to 2,500 sheets
PF-602: up to 6,000 sheets

Paper output capacity
Main tray: 3,000 sheets
Per sub tray: 100 sheets

Main unit dimensions (W x D x H mm)
760 x 992 x 1,076 mm

Main unit weight
356 kg (only main unit)

Controller specifications

IC-306 external EFI Fiery controller

CPU
Intel® Core2 Quad @ 2.66 GHz

RAM
2 GB high-speed memory

HDD
160 GB SATA hard drive

Interface
Ethernet (10/100/1000-Base-T)

File Formats
Adobe® PostScript® Level 1, 2, 3
Adobe® PDF 1.4, 1.5, 1.6, 1.7;
PDF/X-1a, 3; EPS(option); TIFF(option);
TIFF/AT(option); JPEG(option);
PPML: Creo VPS compatible
Fiery® FreeForm™ v1/Fiery® FreeForm™ v2.1

Client Environments
Windows® 7/2000/XP/Vista™
Windows® Server 2003/2008
Macintosh® OSX (10.3.9 or later)
Intel Macintosh OSX (10.4 or later)

IC-307 external Creo controller*

CPU
Intel® Core i7 @ 2.8 GHz

RAM
2 GB system memory
3 GB image memory

HDD
2x 500 GB system disc
2x 500 GB image disc

Interface
Ethernet (10/100/1,000-Base-T)

File Formats
Adobe PostScript 1, 2, 3;
Adobe PDF 1.3, 1.4, 1.5, 1.6, 1.7;
PDF/X-1a; EPS; TIFF(except for 16 bit tiff); TIFF/
IT; JPEG (except for Progressive JPEG and
JPEG 2000); CT/LW
Creo Variable Print Specification (VPS)
PPML

Client Environments
Windows® 7/XP/Vista™
Windows® Server 2003/2008
Macintosh® OSX up to 10.6 (64bit)

IC-601 internal Konica Minolta controller*

CPU
Intel® Core2 Duo @ 2.8 GHz

RAM
4 GB high-speed memory

HDD
2x 250 GB SATA disc space

Interface
Ethernet (10/100/1,000-Base-T)

File Formats
Adobe PostScript 3; PCL 5c/6;
Native PDF; PDF 1.7; PDF/X-1a, X-3
EPS; TIFF; TIFF/AT; JPEG; PPML

Client Environments

Windows® 7/2000/XP/Vista™
Windows® Server 2003 / 2008
Macintosh® OSX (10.4.x to 10.6.x)

Scanner specifications

Scan speed A4
Up to 40 opm

Scan speed A3
Up to 22 opm

Scan resolution
600 x 600 dpi

Scan modes
TWAIN scan; Scan-to-HDD; Scan-to-FTP;
Scan-to-SMB; Scan-to-E-mail; Scan formats TIFF
(single and multi page), PDF

Copier specifications

Copy speed A4
Up to 60 ppm (bizhub PRO C6000)
Up to 71 ppm (bizhub PRO C7000)

Copy Speed A3

Up to 34 ppm (bizhub PRO C6000)
Up to 38 ppm (bizhub PRO C7000)

Copy resolution

Max. 600 x 600 dpi

Gradations

256 gradations

FCOT

Less than 6.5 sec. (colour A4)

Magnification

25–400% in 0.1% steps

Multiple copies

1–9,999

Accessories

Automatic document feeder DF-622

Max.: 100 sheets

Large capacity tray LU-202

1 magazine

Paper capacity: up to 2,500 sheets

Paper weight: 64 to 300 gsm

Standard paper sizes: B5–SRA3

Min. paper size: 210 x 182 mm

Max. paper size: 330 x 487 mm

Paper feed unit PF-602

2 magazines

Paper capacity: up to 6,000 sheets

Paper weight: 64–300 gsm (lower tray)

Standard paper sizes: B4–SRA3

Min. paper size: 100 x 148 mm (lower tray)

Max. paper size: 330 x 487 mm

Booklet finisher FS-612

Booklet making for up to 20 sheets (80 images)

2-point and corner stapling

Stapling up to 50 sheets

Centre fold and letter fold in

Auto-shift sorting and grouping

Output for up to 2,500 sheets

Sub tray for up to 100 sheets

Staple finisher FS-531

2-point and corner stapling

Stapling up to 50 sheets

Auto-shift sorting and grouping

Output for up to 3,000 sheets

Sub tray for up to 100 sheets

Post inserter PI-502

(Option for FS-612/FS-531)

Pre-printed sheet insertion

2 PI trays for 200 sheets each

Punch kit PK-512

(Option for FS-612/FS-531)

Punching (2 and 4 holes selectable)

Punch kit PK-513

(Option for FS-612/FS-531)

Punching (4 holes)

* Available soon

- All specifications relating to paper capacity refer to A4-size paper of 80 gsm quality.
- All specifications relating to scanning, copying or printing speeds refer to A4-size paper that is scanned, copied or printed crosswise in multipage, simplex mode.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications, network protocols as well as network and system configurations.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that all specifications mentioned will be error-free.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries.
- All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

Your Konica Minolta Business Solutions Partner:



Konica Minolta
Business Solutions (UK) Ltd
Miles Gray Road, Basildon
Essex SS14 3AR
Tel: 01268 534444
Email: info@konicaminolta.co.uk